


Acid-Free PE Overlaminating Tape



Backing:	LDPE Film
Adhesive:	Acid-Free Acrylic (A115)
Liner:	53# Coated Kraft Paper
Colors:	Clear
Specifications:	N/A
Standard Sizes:	Incremental widths 1.5" - 54" x LY

Applications

- Overlaminating for graphics, signs, and placards
- Surface protection against moisture, UV, solvents, and abrasion

Features

- LDPE Film
- Acid-Free Acrylic Adhesive
- Kraft Release Liner

Benefits

- Tough and abrasion resistant
- UV stable for outdoor applications
- Stands up to harsh environments
- Super clear film for invisible protection
- Adheres aggressively to surfaces
- Non-yellowing
- No edge bleed
- Excellent long-term stability
- Easy to apply

Typical Test Values

	Standard UOM		Metric UOM		Test Method
Total Thickness	5.5	mils	0.140	mm	PSTC-133
Substrate Thickness	4.5	mils	0.114	mm	PSTC-133
Adhesion to Steel	70	oz/in	7.66	N/cm	ASTM D-3330
Tensile Strength	12	lb/in	21.02	N/cm	ASTM D-3759
Elongation	450%				
Application Temperature	50° F to 120 °F		10° C to 49° C		
Operating Temperature	-40° F to 200 °F		-40° F to 93 °C		

Recommended Storage Conditions: 40-60% Humidity, 60 - 80 °F
Standard Shelf Life (at 25 °C): 12 months from shipment date

The information presented herein was prepared at VYBOND GROUP, INC. (Vybond Group, Inc. 2320 Bowling Green Road, Franklin, KY 42134) by qualified technical personnel. To VYBOND'S knowledge, it is true and accurate. However, the information and recommendations are furnished for these products with the understanding that the purchaser or user, as the case may be, will independently determine that the product is suitable for the intended use, and that such use complies with all applicable federal, state, and local laws and regulations. The data are submitted only for the user's information and consideration, and do not constitute a warranty of any kind (including but not limited to a warranty of merchantability or of fitness for a particular purpose), or a representation for which VYBOND assumes any legal responsibility.