



Backing:	Polyethylene Film
Adhesive:	Modified Rubber
Liner:	N/A
Colors:	White
Specifications:	N/A
Standard Sizes:	48mm x 55m, 4in x 60yd

Applications

- Hanging and patching heavy weight poly sheeting, and securing waste disposal bags
- Labeling and color coding
- Bundling, wrapping, and repairs
- Polyethylene splicing
- Challenging dissimilar metal separation applications

Features

- Polyethylene Film Backing
- Modified Rubber Adhesive
- Low VOC

Benefits

- Conformable and flexible
- Excellent durability and solvent resistance
- High tack adhesive grabs surfaces
- Extreme high adhesion for a secure bond
- Repositionable
- Can contribute toward satisfying EQ Credit 4.1 (Low Emitting Materials) under LEED®

Typical Test Values

	Standard UOM	Metric UOM	Test Method
Total Thickness	9.5 mils	0.241 mm	ASTM D-1000
Adhesion to Steel	100 oz/in	10.94 N/cm	PSTC-101
Adhesion to Backing	55 oz/in	6.02 N/cm	PSTC-101
Tensile Strength	24 lb/in	42.03 N/cm	ASTM D-1000
Application Temperature	30 to 160 °F	-1 to 71°C	
Operating Temperature	20 to 200 °F	-7 to 93 °C	
Elongation	100%		

Recommended Storage Conditions: 60-80 °F at 40-60% RH
 Standard Shelf Life (at 25 °C): 24 months from date of manufacture.

The information presented herein was prepared at VYBOND GROUP, INC. (Vybond Group, Inc. 2320 Bowling Green Road, Franklin, KY 42134) by qualified technical personnel. To VYBOND'S knowledge, it is true and accurate. However, the information and recommendations are furnished for these products with the understanding that the purchaser or user, as the case may be, will independently determine that the product is suitable for the intended use, and that such use complies with all applicable federal, state, and local laws and regulations. The data are submitted only for the user's information and consideration, and do not constitute a warranty of any kind (including but not limited to a warranty of merchantability or of fitness for a particular purpose), or a representation for which VYBOND assumes any legal responsibility.