


Heavy-Duty PE Film Tape



Backing:	LDPE Film
Adhesive:	Acrylic (A100)
Liner:	N/A
Colors:	Black
Specifications:	N/A
Standard Sizes:	Incremental widths 1/4" - 54" x 108ft

Applications

- Moisture barrier seal
- Heavy duty surface protection
- Dissimilar metal tape for use in truck assembly and machine construction - provides a permanent barrier to prevent electrolytic corrosion

Features

- LDPE Film
- Acrylic Adhesive

Benefits

- Tough and abrasion resistant
- Holds up under heavy use
- Conformable for curves and irregular surfaces
- Moisture resistant
- Adheres aggressively to surfaces
- Won't dry out or lift
- Easy unwind - even at wide widths
- Excellent long-term aging characteristics

Typical Test Values

	Standard UOM		Metric UOM		Test Method
Total Thickness	8.0	mils	0.203	mm	PSTC-133
Substrate Thickness	7.0	mils	0.178	mm	PSTC-133
Adhesion to Steel	45	oz/in	4.92	N/cm	ASTM D-3330
Tensile Strength	18	lb/in	31.52	N/cm	ASTM D-3759
Elongation	600%				
Application Temperature	50 to 120 °F		10 to 49 °C		
Operating Temperature	-40 to 190 °F		-40 to 88 °C		

Recommended Storage Conditions: 40-60% Humidity, 60 - 80 °F

Standard Shelf Life (at 25 °C): 12 months from shipment date

The information presented herein was prepared at VYBOND GROUP, INC. (Vybond Group, Inc. 2320 Bowling Green Road, Franklin, KY 42134) by qualified technical personnel. To VYBOND'S knowledge, it is true and accurate. However, the information and recommendations are furnished for these products with the understanding that the purchaser or user, as the case may be, will independently determine that the product is suitable for the intended use, and that such use complies with all applicable federal, state, and local laws and regulations. The data are submitted only for the user's information and consideration, and do not constitute a warranty of any kind (including but not limited to a warranty of merchantability or of fitness for a particular purpose), or a representation for which VYBOND assumes any legal responsibility.